## § 180.610

Commodity	Parts per million
Sheep, meat	0.05 0.20

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. Tolerances are established for the indirect or inadvertent residues of fluoxastrobin, including its metabolites and degradates, in or on the commodities in the table below, when present therein as a result of the application of fluoxastrobin to the growing crops listed in paragraph (a)(1) of this section. Compliance with the tolerance levels specified below is to be determined bv measuring only (1E)-[2-[[6-(2fluoxastrobin, chlorophenoxy)-5-fluoro-4pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)methanone methyloxime and its Z isomer, (1Z)-[2-[[6-(2-chlorophenoxy)-5-fluoro-4pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)methanone methyloxime, calculated as the stoichiometric equivalent of fluoxastrobin.

Commodity	Parts per million
Alfalfa, forage	0.050
Alfalfa, hay	0.10
Cotton, gin byproducts	0.020
Grain, cereal, forage, fodder, and straw, group	
16, except corn	0.10
Grass, forage	0.10
Grass, hay	0.50
Vegetable, foliage of legume, group 7	0.050

[74 FR 67113, Dec. 18, 2009, as amended at 75 FR 60333, Sept. 30, 2010; 76 FR 50898, Aug. 17, 2011; 77 FR 26471, May 4, 2012]

## § 180.610 Aminopyralid; tolerances for residues.

(a) General. (1) Tolerances are established for residues of the herbicide aminopyralid, 4-amino-3,6-dichloro-2-pyridinecarboxylic acid, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only free and conjugated aminopyralid.

Commodity	Parts per million
Corn, field, forage	0.30
Corn, field, grain	0.20
Corn, field, stover	0.20
Grain, aspirated fractions	0.2
Grass, forage	25
Grass, hay	50
Wheat, bran	0.1
Wheat, forage	2.0
Wheat, grain	0.04
Wheat, hay	4.0
Wheat, straw	0.25

(2) Tolerances are established for residues of the herbicide aminopyralid, 4-amino-3,6-dichloro-2-pyridinecarboxylic acid, including its metabolites and degradates, in or on the commodities in the table below.

Compliance with the tolerance levels specified below is to be determined by measuring only aminopyralid.

Commodity	Parts per million
Cattle, fat Cattle, kidney Cattle, meat Cattle, meat Cattle, meat byproducts, except kidney Goat, fat Goat, kidney Goat, meat Goat, meat Horse, fat Horse, kidney Horse, meat Horse, meat Horse, meat	million  0.02 0.3 0.02 0.02 0.02 0.3 0.02 0.02
MilkSheep, fat	0.03 0.02
Sheep, kidney	0.02 0.3 0.02
Sheep, meat byproducts, except kidney	0.02

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[70 FR 46428, Aug. 10, 2005, as amended at 75 FR 17584, Apr. 7, 2010]

## § 180.611 Pinoxaden; tolerances for residues.

(a) General. (1) Tolerances are established for the combined residues of pinoxaden (8-(2,6-diethyl-4-methylphenyl)-1,2,4,5-tetrahydro-7-oxo-7H-pyrazolo[1,2-d][1,4,5] oxadiazepin-9-yl 2,2-dimethylpropanoate), and its metabolites 8-(2,6-diethyl-4-methylphenyl)-tetrahydro-pyrazolo[1,2-d][1,4,5]oxadiazepine-7,9-dione (M2), and

free and conjugated forms of 8-(2,6-